




## China 608z Bearing Supplier



6220 Bearing 2D drawings and 3D CAD models

NSK KOYO High quality 6220 NTN bearing  
deep groove ball bearing 6806 6902

Bearing No. 6220

Size	100x180x34 mm
Bore Diameter	100 mm
Outer Diameter	180 mm
Width	34 mm
d	100 mm
D	180 mm
B	34 mm
C	34 mm
r min.	2,1 mm
da min.	111 mm
Da max.	169 mm
ra max.	2 mm
Weight	3,14 Kg
Basic dynamic load rating (C)	122 kN
Basic static load rating (C0)	93,1 kN
(Grease) Lubrication Speed	3500 r/min
(Oil) Lubrication Speed	4200 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	3.387
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0



## China 608z Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	100MM Bore; 180MM Outside Diameter; 34MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.koyousa.com">http://www.koyousa.com</a>
Manufacturer Item Number	6220
Weight / LBS	7.46
Bore	3.937 Inch   100 Millimeter
Outer Race Width	1.339 Inch   34 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
Bearing No.	6220
r(min)	2.1
Cr	153
C0r	93.1
Cu	5.15
f0	14.4
Grease lub.	3500
Oil lub.	4200



## China 608z Bearing Supplier

da(min)	111
Da(max)	169
ra(max)	2
(Refer.)Mass(kg)	3.14