



China 608z Bearing Supplier



6809 45x58x7mm 61809 6809rs Ntn Nsk Bearing

Bearing No. 6809

6809 Bearing 2D drawings and 3D CAD models

Size	45x58x7 mm
Bore Diameter	45 mm
Outer Diameter	58 mm
Width	7 mm
d	45 mm
D	58 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	47 mm
da max	47,5 mm
Da max.	56 mm
ra max.	0,3 mm
Weight	0,038 Kg
Basic dynamic load rating (C)	6,6 kN
Basic static load rating (C0)	6,15 kN
(Grease) Lubrication Speed	11 000 r/min
(Oil) Lubrication Speed	13 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.02
Product Group	B00308
Enclosure	Open



China 608z Bearing Supplier

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	45MM Bore; 58MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6809
Weight / LBS	0.04
Outer Race Width	0.276 Inch 7 Millimeter
Outside Diameter	2.283 Inch 58 Millimeter
Bore	1.772 Inch 45 Millimeter
bore diameter:	45 mm
internal clearance:	C0
outside diameter:	58 mm
dynamic load capacity:	5350 N
overall width:	7 mm
precision rating:	ABEC1, P0
bore type:	Round



China 608z Bearing Supplier

finish/coating:	Uncoated
closure type:	Open
cage material:	Steel Cage
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm:	13000 rpm
snap ring included:	Without Snap Ring
SRI	2.05
hidYobi	6809
LangID	1
D_	58
SREX	0.015
B_	7
da min	47
hidTable	ecat_NSRDGB
Oil rpm	13000
SRE	2.05
mass	0.038
GRS rpm	11000
ra	0.3
SRIX	0.015
D_a	56
SRIN	-0.015
C0	6.15
fo	17.2
SREN	-0.015
DE_	55.469
Prod_Type3	DGBB_SR_OT
DA_	3.969
bomp	0
Z_	23
yobi	6809
C_conv	6600



China 608z Bearing Supplier

ALPHA_	0
SDM_	51.5
r	0.3
KBRG	6101
SBRG	18
DI_	47.531